



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

vessel sailed with the remainder of a European general cargo. Inspected and past the British steamship *Darien*, bound for New Orleans, via Tampico and Coatzacoalcas, with 48 crew and 4 cabin passengers; vessel sailed with the remainder of a European general cargo. Inspected and past the British steamship *Cargo Largo*, bound for a port in the United States, via Coatzacoalcas and Tampico, with 29 crew; vessel sailed with the remainder of a European general cargo. Inspected and past the American schooner *Kate Feore*, bound for Pasca-goula, with 7 crew; vessel sailed in ballast.

November 18. Inspected and past the Norwegian steamship *City of Tampico*, bound for New Orleans, via Progreso, with 20 crew and 1 passenger; vessel sailed with a general cargo.

No quarantinable disease reported during the week.

Summary of transactions of the Service from July 1 to October 31, 1906.

	July.	August.	September.	October.	Total.
Steamers inspected.....	18	18	18	17	71
Fumigation of steamers supervised.....	10	12	7	9	38
Sailing vessels inspected.....	3	2	0	0	5
Fumigation of sailing vessels supervised.....	1	0	0	0	1
Crews on steamers.....	1,249	1,378	1,114	1,175	4,916
Crews on sailing vessels.....	21	14	0	0	35
Passengers on steamers.....	837	605	668	410	2,520

PERU.

Report from Callao—Inspection and fumigation of vessels—Plague in Lima—Smallpox in Lima and Chilean ports.

Assistant Surgeon Wightman reports, November 12, as follows:

Week ended November 10, 1906. The Chilean steamship *Palena* was dispatched on the 7th for Ancon, Canal Zone, with general cargo and a total personnel of 101, of whom 3 were new members of crew. Eight cabin and 4 steerage passengers were from this port. The vessel was fumigated and steerage baggage inspected and past or disinfected. There were no steerage passengers for Panama.

Two cases of plague were reported in Lima on the 8th instant, but no report for the rest of Peru has been received. Smallpox still continues in Lima, but it is impossible to learn the actual number of cases.

Bills of health from Chile report smallpox as follows: Coquimbo, 28 cases with 1 death in two weeks ended October 31; November 5, Iquique, still present, number of cases unknown. Bill from Antofagasta, dated November 3, is clean.

FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND CITIES—UNTABULATED.

AFRICA—*Lourenço Marquez*.—Month of September, 1906. Estimated population, 10,000. Total number of deaths, 48, including 11 from tuberculosis.

ALGERIA—*Algiers*.—Month of October, 1906. Estimated population, 155,000. Total number of deaths, 257. No deaths from contagious diseases.

AUSTRALIA—*New South Wales—Newcastle.*—Month of September, 1906. Estimated population, 51,170. Total number of deaths, 46, including 4 from tuberculosis.

BAHAMAS—*Dunmore Town.*—Two weeks ended November 17, 1906. Estimated population, 1,232. Two deaths. No contagious diseases.

Governors Harbor.—Week ended November 17, 1906. Estimated population, 1,500. No deaths and no contagious diseases.

Nassau.—Two weeks ended November 17, 1906. Estimated population, 12,656. No deaths and no contagious diseases reported.

BRAZIL—*Ceara.*—Month of September, 1906. Estimated population, 50,000. Total number of deaths, 64, including 3 from contagious diseases.

FRANCE—*Roubaix.*—Month of October, 1906. Estimated population, 124,660. Total number of deaths, 160, including diphtheria 1, enteric fever 2, and whooping cough 1.

GERMANY—*Strassburg.*—Month of September, 1906. Estimated population, 180,000. Total number of deaths, 244, including enteric fever 6, whooping cough 2, and 26 from tuberculosis.

GIBRALTAR.—Two weeks ended November 4, 1906. Estimated population, 27,385. Total number of deaths, 17. No deaths from contagious diseases reported.

GREAT BRITAIN—*England and Wales.*—The deaths registered in 76 great towns in England and Wales during the week ended November 10, 1906, correspond to an annual rate of 14.9 per 1,000 of population, which is estimated at 15,818,360.

Bradford.—Two weeks ended November 3, 1906. Estimated population, 288,544. Total number of deaths 156, including diphtheria 4, enteric fever 5, and 2 from whooping cough.

London.—One thousand three hundred and twenty-eight deaths were registered during the week, including measles 19, scarlet fever 17, diphtheria 11, whooping cough 7, enteric fever 6, and 44 from diarrhea. The deaths from all causes correspond to an annual rate of 14.7 per 1,000. In Greater London 1,756 deaths were registered. In the "outer ring" the deaths included 3 from diphtheria, 1 from measles, 2 from scarlet fever, 4 from whooping cough, and 4 from diarrhea.

Ireland.—The average annual death rate represented by the deaths registered during the week ended November 10, 1906, in the 21 principal town districts of Ireland was 21.6 per 1,000 of the population, which is estimated at 1,101,499. The lowest rate was recorded in Newry, viz, 8.4, and the highest in Clonmel, viz., 51.3 per 1,000. In Dublin and suburbs 192 deaths were registered, including diphtheria 1, enteric fever 1, measles 6, whooping cough 2, and 40 from tuberculosis.

Scotland.—The deaths registered in 8 principal towns during the week ended November 10, 1906, correspond to an annual rate of 17

per 1,000 of the population, which is estimated at 1,787,788. The lowest rate of mortality was recorded in Leith, viz, 12.6, and the highest in Dundee, viz, 20.6 per 1,000. The aggregate number of deaths registered from all causes was 581, including diphtheria 6, enteric fever 4, measles 7, scarlet fever 2, and 9 from whooping cough.

HAWAII—*Honolulu*.—Month of October, 1906. Estimated population, 39,306. Total number of deaths reported, 74, including diphtheria 1, enteric fever 2, and 14 from tuberculosis.

JAMAICA—*Kingston*.—Month of October, 1906. Estimated population, 52,065. Total number of deaths, 114, including 16 from phthisis pulmonalis.

JAPAN—*Nagasaki*.—Ten days ended October 31, 1906. Estimated population, 163,324. Total number of deaths not reported.

JAVA—*Batavia*.—Two weeks ended October 13, 1906. Estimated population, 160,000. Total number of deaths not reported. No deaths from contagious diseases reported.

SPAIN—*Barcelona*.—Ten days ended November 10, 1906. Estimated population, 600,000. Total number of deaths, 412, including diphtheria 4, enteric fever 23, whooping cough 1, smallpox 8, and 36 from tuberculosis.

Cadiz.—Month of October, 1906. Estimated population, 69,382. Total number of deaths, 163, including enteric fever 2, smallpox 6, and 38 from tuberculosis.

WEST INDIES—*St. Thomas*.—Three weeks ended November 2, 1906. Estimated population, 11,012. Total number of deaths, 21, including 3 from tuberculosis.